

Shimadzu Energy Dispersive X-Ray Fluorescence Spectrometer EDX-8100

Analysis of Minerals and Screening Analysis for Application Hazardous Elements in Food by EDXRF

Hirokazu Moriya

User Benefits

News

- EDXRF can analyze minerals in foods as-is or with only simple sample preparation.
- Nondestructive analysis of samples in various forms, including solid, liquid, and powder, is possible.
- Light elements can be analyzed with higher sensitivity by analysis under a vacuum or helium replacement atmosphere.

■ Introduction

Reduction of food loss is an international challenge, as also taken up in the Sustainable Development Goals (SDGs) established by the United Nations. Various initiatives are being carried out toward the solution of this problem, including moves to evaluate the nutritional value of food waste that had been discarded until now, with the aim of recycling. For example, the core of cabbage was usually treated as an object of waste disposal and had been diverted to other uses such livestock feed or compost, but because it is rich in minerals, use in health foods and processed foods is expected.

The atomic absorption spectrophotometer (AA) and inductively coupled plasma mass spectrometer (ICP-MS) are widely used in component analysis of foods. While these analytical methods are superior in terms of sensitivity, they also have the problem that a high level of technology and skill is required in the analysis because chemical sample preparation is necessary, for example by dissolving specimens with an acid such as nitric acid or hydrochloric acid.

On the other hand, the energy dispersive X-ray fluorescence spectrometer (EDXRF) has the feature that analyses can be carried out with the sample as-is or with only simple sample preparation. This Application News introduces the following, focusing on measures to reduce food loss and safety evaluation of foods.

1. Evaluation of minerals in cabbage

2. Screening analysis of hazardous elements

1. Evaluation of Minerals in Cabbage

■ Sample

Cabbage

Sample Preparation

The cabbage core and leaves were pulverized with a mixer and dried at 85 °C for 6 hours. The samples were then packed in vinyl chloride rings with an inner diameter of $22\,\text{mm}\phi$ and compacted at 40 kN for 10 seconds. Fig. 1 shows an outline of the sample preparation procedure.

Results of Qualitative and Quantitative Analysis

Fig. 2 shows the profile overlays of the cabbage core and leaf parts, and Table 1 shows the results of an FP (fundamental parameter) quantitative analysis. The main component was set as cellulose ($C_6H_{10}O_5$), a fiber. From these results, there is no difference in the elements detected in the cabbage core and leaves, but the core contains larger amounts of minerals such as phosphorus (P) and potassium (K).








Fig. 2 Profile Overlays of Core and Leaf of Cabbage

Element	Core [mass%]	Leaf [mass%]	Element	Core [ppm]	Leaf [ppm]	
Mg	0.14	0.13	Mn	6.20	11.4	
Р	0.50	0.32	Fe	27.1	23.2	
S	0.93	0.78	Zn	31.4	27.5	
CI	1.14	0.18	Br	159.9	17.1	
к	6.32	2.82	Rb	23.0	13.2	
Ca	0.51	0.44	Sr	23.2	8.70	
*1 Quantitation calculation was performed assuming C ₆ H ₁₀ O ₅ balance.						

Table 1 Results of FP Quantitative Analysis*1

2. Screening Analysis of Hazardous Elements

Sample

CRM 7403-a No. 52 Swordfish meat powder standard sample

Sample Preparation

The sample was packed in a vinyl chloride ring with an inner diameter of 22 mm and pressed at 40 kN for 10 seconds. Fig. 3 shows the appearance of the sample.



Fig. 3 Appearance of Sample

Results of Qualitative and Quantitative Analysis

Table 2 shows a summary of the standard values and the quantitative analysis values of the swordfish meat powder standard sample. The main component was set as CH₂O, representing organic substances as a whole. EDXRF can quantify the hazardous elements As and Hg which are present in trace amounts with high accuracy, even without standard samples.

■ Conclusion

Simple component analysis of foods is possible with EDXRF. This analysis method has low environmental loads because chemical sample preparation is not necessary. Even trace elements can be analyzed at the ppm order, and highly accurate quantitative analysis is possible even without using standard samples. Shimadzu EDXRF supports initiatives to achieve the SDGs in the analysis aspect.

Analysis Conditions

	Table 3 Analysis Conditions		
Instrument	: EDX-8100		
Elements	: ₆ C - ₉₂ U		
Analysis group	: Qualitative/quantitative analysis		
Detector	: SDD		
X-ray tube	: Rh target		
Tube voltage	: 15 [kV] (Na-P), (S-Ca)		
	50 [kV] (Cr-Ni), (Cu-Nb, As, Pb), (Mo-Xe)		
Tube current	: Auto [µA]		
Collimator	: 10 [mmφ]		
Primary filters	: None (Na-P), #2 (S-Ca), #3 (Cr-Ni),		
	#4 (Cu-Nb, As, Pb), #1 (Mo-Xe)		
Atmosphere	: Vacuum		
Integration time	: 120 [s] (Na-P)		
	60 [s] × 4 (S-Ca), (Cr-Ni), (Cu-Nb, As, Pb), (Mo-Xe)		
Dead time	: Max 30 [%]		

Element	Standard value [mass%]	Quantitation value [mass%]	Element	Standard value [ppm]	Quantitation value [ppm]
Na	0.36	0.41	Fe	13.1	15.3
Mg	0.16	0.17	Zn	33.6	40.0
Р	1.45	1.61	As	6.62	6.1
S	-	1.13	Se	2.14	1.7
CI	-	0.62	Br	-	22.1
К	2.63	3.12	Rb	-	2.3
Ca	0.02	0.03	Sr	1.13	1.0
			Hg	5.34	5.5

Table 2 Result of Standard Values and FP Quantitative Analysis Values*2

^{*2} Quantitation calculation was performed assuming CH₂O balance.



01-00493-EN First Edition: Nov. 2023

For Research Use Only. Not for use in diagnostic procedures. This publication may contain references to products that are not available in your country. Please contact us to check the availability of these

products in your country. The content of this publication shall not be reproduced, altered or sold for any commercial purpose without the written approval of Shimadzu. See <u>http://www.shimadzu.com/about/trademarks/index.html</u> for details. Third party trademarks and trade names may be used in this publication to refer to either the entities or their products/services, whether or not

Shimadzu Corporation www.shimadzu.com/an/

they are used with trademark symbol "TM" or "®". Shimadzu disclaims any proprietary interest in trademarks and trade names other than its own

The information contained herein is provided to you "as is" without warranty of any kind including without limitation warranties as to its accuracy or completeness. Shimadzu does not assume any responsibility or liability for any damage, whether direct or indirect, relating to the use of this publication. This publication is based upon the information available to Shimadzu on or before the date of publication, and subject to change without notice.