

advanced chromatography software

LAUNCH MANAGER VARIABLE CONFIGURATION

P020/80B 04/2020

LAUNCH MANAGER

Select Clarity Profile

Select a Clarity profile, and double-click on it, or click Launch to run Clarity.

 \times

 \Box

The profile may modify your current Clarity configuration.

lame	Description
Default	Default settings
VICI - FC	Fraction Collector
HPLC - DAD	Just PDA detector only
HPLC - FLD	HPLC FLD detector only
HPLC - FLD+DAD	HPLC with both detectors
]Close this window <u>a</u> fter l	aunching Clarity

- External utility available in Clarity
- Enables to use Clarity with different hardware configurations
- Available in Windows Start Menu Clarity Folder
- Could be started by LaunchManager.exe Clarity \Cfg\ subfolder
- Settings stored in dedicated file (...\Cfg\Profiles.ini)

□ LAUNCH MANAGER \rightarrow HOW TO USE

Edit Profiles - Default Profiles Name Default VICI - FC	Last Opened: Nev Description: Default settings	er, Last Edited: 8. 10.	2019	×	
HPLC - DAD HPLC - FLD HPLC - FLD +DAD	New Rename	Duplicate Delete	Create Shortcut		
General					
Confi	uration: HPLC - DA	D.cfg	~ »		Add
Instrume		2 O Instrument 3	O Instrumer	ıt	Duplicate Rename Delete
Login Us	er Name:				Details
	Desktop: <from .ps<="" th=""><th>SW or Clarity.DSK></th><th>~ *</th><th></th><th></th></from>	SW or Clarity.DSK>	~ *		
	Project: <from de<="" td=""><th>sktop></th><td>\sim</td><td></td><td></td></from>	sktop>	\sim		
	Method: <from pro<="" td=""><th>oject></th><td>~</td><td></td><td></td></from>	oject>	~		
S	quence: <from pro<="" td=""><th>oject></th><td>~</td><td></td><td></td></from>	oject>	~		
Refresh Files	Close		Help		

- Enables to maintain multiple configuration files (*.cfg)
- The configuration could be modified from Clarity System Configuration dialog only
- Agilent/Hitachi HPLC system with multiple detectors using only one or both
- Advanced autosamplers (HTA, CTC) – switching between LC, GC, ,liquid' ,headspace' modes

□ LAUNCH MANAGER \rightarrow HOW TO USE

Edit Profiles - Default		×					
Profiles							
Name	Last Opened: Never, Last Edited: 8. 10. 2019						
Default	Description:						
VICI - FC	Default settings						
HPLC - DAD	New Duplicate						
HPLC - FLD	The W	Create					
HPLC - FLD+DAD	Rename	Delete					
	General Configuration: <a>Last Used>	· · · · »					
L L	Instrument 1 Instrument 2	Instrument 3 Instrument 4					
	🖂 Open Instrument						
	Login User Name: Bob						
	Desktop: Bob.dsk 🗸						
	Project: Project-Bob.prj ~						
	Method: Method-Bob.met \checkmark						
	Sequence: Sequence-Bob.seq \checkmark						
Refresh Files	Close	Help					

- Enables to open Clarity Instrument with predefined variable presets – desktop, project, method and sequence
- Clarity can be already running when opening Instrument with different settings (desktop, project, method, sequence)
- Using specific configuration file (*.cfg) requires entire Clarity station restart



SMART SOLUTION FOR LABORATORIES

...THANK YOU FOR YOUR TIME



SUPPORT@DATAAPEX.COM WWW.DATAAPEX.COM