


In-Solution Protein Digestion for Proteomic Samples

Using the SCIEX Protein Preparation Kit

Protein digestion consists of a number of workflow steps with a variety of important reagents. Everything needed for a robust, reproducible digestion has been put together in this convenient kit.

1. The method begins with 5 μ L of samples (35-350 μ g total protein) per well for digestion.
2. Add 30 μ L of Digestion Buffer (0.1 M TRIS, pH 8, 4mM CaCl₂) to wells/vials to wells/vials
3. Add 2.5 μ L of Denaturant (10% N-octyl-glucoside)
4. Add 5 μ L of Reducing Reagent (50 mM of tris-(2-carboxyethyl)-phosphine))
 1. Cap and incubate off-deck at 60 °C for 1hr
 2. Spin plate/vials after incubation to bring any liquid down to the bottom before proceeding
5. Add 2.5 μ L of Cysteine Blocking Reagent (200 mM of methyl methane-thiosulfonate)
 - Incubate at room temperature for 10 mins
6. Add 50 μ L of Digestion Buffer to dilute sample before adding trypsin
7. Add 10 μ L of Trypsin solution (dissolved in 0.1% formic acid)
 - Note – the trypsin amount can be adjusted depending on the total amount of protein being digested. Typically one uses a 1/10 to 1/20 ratio of trypsin / total protein. See Section 4 for an example calculation.
 - Cap and incubate off-deck for user desired # of hours at 37 °C (3 hours recommended)
 - Spin plate after incubation to bring any liquid down to the bottom before proceeding
8. Add 5 μ L of Quench solution (user provided – 10% formic acid)



References

1. SCIEX Protein Preparation Kit (SCIEX P/N 4445247) and TPCK-treated trypsin (SCIEX P/N 4445250).
2. For information on automating this workflow, please see <https://sciex.com/products/standards-and-reagents/automated-protein-digestion-solution>

AB Sciex is doing business as SCIEX.

© 2017 AB Sciex. For Research Use Only. Not for use in diagnostic procedures. The trademarks mentioned herein are the property of AB Sciex Pte. Ltd. or their respective owners. AB SCIEX™ is being used under license.

Document number: RUO-MKT-02-5438-A