
InertSearch™for GC

InertCap[®] **Applications**

Phthalic acid esters

Data No. GA177-0904



Conditions

System : GC/MS

Column : InertCap 5MS/Sil

 $0.25 \text{ mm I.D. } \times 30 \text{ m} \text{ df} = 0.25 \text{ } \mu\text{m}$

Col.Cat. No. : 1010-15142

: 60 °C(3 min hold) - 7 °C/min - 260 °C(19 min hold) 4. Diallyl phthalate Col. Temp.

Carrier Gas : He 36.5 cm/sec **Injection** : Splitless 1 min

250°C

Detection : MS Scan (35 - 500 m/z)

Interface Temp. 280 °C

Sample Size : 10 μg/mL in Acetone

 $1 \mu L$

Analyte

- 1. Dimethyl phthalate
- 2. Diethyl phthalate
- 3. Di-isopropyl phthalate
- 5. Di-*n*-propyl phthalate
- 6. Di-isobuthyl phthalate
- 7. Di-*n*-butyl phthalate
- 8. Di-*n*-pentyl phthalate
- 9. Di-*n*-hexyl phthalate
- 10. Butylbenzyl phthalate
- 11. Dicyclohexyl phthalate
- 12. Di-2-ethylhexyl phthalate
- 13. Di-*n*-heptyl phthalate
- 14. Diphenyl phthalate
- 15. Di-*n*-octyl phthalate